

# COMPLIANCE AUDIT

For [www.togetherforhumanity.org.au](http://www.togetherforhumanity.org.au) | Verdict: Non-compliant

This audit evaluates the adherence level of **www.togetherforhumanity.org.au** as of Mon Feb 28 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
2	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
3	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
4	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-

5	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
6	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
7	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
8	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<iframe class="elementor-video-iframe" allowfullscreen="" title="youtube Video Player"
src="https://www.youtube.com/embed/h8twAlUBloU?feature=oembed&start&
;end&wmode=opaque&loop=0&controls=1&mute=0&rel=0&
&modestbranding=...
```

9	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
---	--	-----	------	---	------

## Code snapshots of some successful elements

```
<title>Together for Humanity – Bringing People Together</title>
```

10	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

## Code snapshots of some successful elements

```
<html lang="en-US"><head> <base href="https://www.togetherforhumanity.org.au">  
<meta name="aceClient" content="false"><meta name="aceToken" content="621c1  
1259f5a61edc576be73"><meta name="aceWebsite" content="www.togetherforhuma  
nity.org.au"><meta name=...
```

11	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

## Code snapshots of some successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

12	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

## Code snapshots of some successful elements

```
<main id="main" class="site-main" role="main"> <div class="entry-content"> <div data-elementor-type="wp-page" data-elementor-id="570" class="elementor elementor-570" data-elementor-settings=""> <div class="elementor-inner"> ...
```

```
<footer id="colophon" class="site-footer" role="contentinfo"> <div class="site-info container"> © CC-NC Together for Humanity Foundation Ltd </div><!-- .site-info --> </footer>
```

---

13	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	1	6	14%
----	---	-----	---	---	-----

## Code snapshots of some successful elements

```
<button type="submit" class="elementor-button elementor-size-sm" > <span> <span class=" elementor-button-icon"> </span> <span class="elementor-button-text">Subscribe</span> ...
```

## Code snapshots of some failed elements

```
<div class="owl-page" ><span ></span></div>
```

```
<div class="owl-page active" ><span ></span></div>
```

```
<div class="dialog-close-button dialog-lightbox-close-button" ><i class="eicon-close"></i></div>
```

---

14	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	1	6	14%
----	---	-----	---	---	-----

## Code snapshots of some successful elements

```
<button type="submit" class="elementor-button elementor-size-sm" > <span> <span class=" elementor-button-icon"> </span> <span class="elementor-button-text">Subscribe</span> ...
```

## Code snapshots of some failed elements

```
<div class="owl-page" ><span ></span></div>
```

```
<div class="owl-page active" ><span ></span></div>
```

```
<div class="dialog-close-button dialog-lightbox-close-button" ><i class="eicon-close"></i></div>
```

---

15	<a href="#">Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.</a>	Yes	39	9	81%
----	---	-----	----	---	-----

## Code snapshots of some successful elements

```
<a href="https://www.togetherforhumanity.org.au/" title="Together for Humanity" ></a>
```

```
<a href="https://www.togetherforhumanity.org.au/about/" >About</a>
```

```
<a href="https://www.togetherforhumanity.org.au/our-programs/" >Programs</a>
```

```
<a href="https://www.togetherforhumanity.org.au/teachers/" >Teachers</a>
```

```
<a href="https://www.togetherforhumanity.org.au/tfh_donate/" >Donate</a>
```

```
<a href="https://www.togetherforhumanity.org.au/contact/" >Contact</a>
```

```
<a href="https://app.etapestry.com/onlineforms/TogetherforHumanityFoundation/donate.html" class="roll-button button-slider" >Donate</a>
```

```
<a href="https://www.togetherforhumanity.org.au/student-programs/" > <div class="team-pop"> <div class="team-info"> <div class="name">Student Programs</div> <div class="pos">A range of programs for st...
```

```
<a href="https://www.togetherforhumanity.org.au/student-programs/" >Student Programs</a>
```

```
<a href="https://www.togetherforhumanity.org.au/teacher-professional-development/" > <div class="team-pop"> <div class="team-info"> <div class="name">Teacher Professional Development</div> <div class=...
```

## Code snapshots of some failed elements

```
<a href="https://www.togetherforhumanity.org.au/student-programs/" >  </a>
```

```
<a href="https://www.togetherforhumanity.org.au/teacher-professional-development/" >  </a>
```

```
<a href="https://www.togetherforhumanity.org.au/online-learning/" >  </a>
```

```
<a href="https://www.togetherforhumanity.org.au/youth-summit-2020-1/" >  </a>
```

```
<a href="https://www.togetherforhumanity.org.au/wp-content/uploads/2021/08/Interfaith-Speakers-crop.png" >  </a>
```

```
<a href="https://www.togetherforhumanity.org.au/wp-content/uploads/2020/10/200922-DEX-Clarence-community-encourages-conversation-on-diversity.pdf" >  ...
```

```
<a href="https://www.thebigsmoke.com.au/2021/03/21/we-need-more-than-slogans-organisation-details-rising-racism-worldwide/" >  </a>
```

```
<a href="https://www.togetherforhumanity.org.au/tfh_donate/" >  </a>
```

```
<a href="https://www.togetherforhumanity.org.au/news/" >  </a>
```

---

16	<a href="#">Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.</a>	Yes	2	0	100%
----	--	-----	---	---	------

### Code snapshots of some successful elements

```
<a href="https://www.facebook.com/Together-For-Humanity-33390177037/" target="_blank" ><div class="fm-icon"><i class="fab fa-facebook"></i></div><div class="fm-label" style="opacity: 0;">Follow on Facebook</div></a>
```

```
<a href="https://www.youtube.com/user/DiffDiff01" target="_blank" ><div class="fm-icon"><i class="fab fa-youtube"></i></div><div class="fm-label" style="opacity: 0;">Subscribe on YouTube</div></a>
```

---

17	<a href="#">Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.</a>	Yes	5	10	33%
----	--	-----	---	----	-----

### Code snapshots of some successful elements

```

```

---

```

```

```

```

```

```

```

```

## Code snapshots of some failed elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```





```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 448 512" ><path d="M16 13 2h416c8.837 0 16-7.163 16-16V76c0-8.837-7.163-16-16-16H16C7.163 60 0 67.163 0 76 v40c0 8.837 7.163 16 16 16zm0 160h416c8.837 0 16-7.163 16-16v-40c0-8.837-7.163-16-16-16H16c...
```

```
<i class="fa fa-quote-left"></i>
```

```
<span ></span>
```

```
<i class="sydney-svg-icon"><svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 576 512" ><path d="M280.37 148.26L96 300.11V464a16 16 0 0 0 16 16l112.06-.29a16 16 0 0 0 15.92-16V368a16 16 0 0 1 16-16h64a16 16 0 0 1 16 16v95.64a16 16 0 0 1 16 16.05L46...
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 576 512" ><path d="M280.37 148.26L96 300.11V464a16 16 0 0 0 16 16l112.06-.29a16 16 0 0 0 15.92-16V368a16 16 0 0 1 16-16h64a16 16 0 0 1 16 16v95.64a16 16 0 0 0 16 16.05L464 480a16 16 0 0 1 16-16V300...
```

```
<i class="sydney-svg-icon"><svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512" ><path d="M497.39 361.8l-112-48a24 24 0 0 0-28 6.9l-49.6 60.6A370.66 370.66 0 0 1 130.6 204.11l60.6-49.6a23.94 23.94 0 0 0 6.9-28l-48-112A24.16 24.16 0 0 0 122.6...
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512" ><path d="M497.39 361.8l-112-48a24 24 0 0 0-28 6.9l-49.6 60.6A370.66 370.66 0 0 1 130.6 204.11l60.6-49.6a23.94 23.94 0 0 0 6.9-28l-48-112A24.16 24.16 0 0 0 122.66l-104 24A24 24 0 0 0 4...
```

```
<i class="sydney-svg-icon"><svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512" ><path d="M502.3 190.8c3.9-3.1 9.7-.2 9.7 4.7V400c0 26.5-21.5 48-48 48H48c-26.5 0-48-21.5-48-48V195.6c0-5 5.7-7.8 9.7-4.7 22.4 17.4 52.1 39.5 154.1 113.6 21.1 15...
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512" ><path d="M502.3 190.8c3.9-3.1 9.7-.2 9.7 4.7V400c0 26.5-21.5 48-48 48H48c-26.5 0-48-21.5-48-48V195.6c0-5 5.7-7.8 9.7-4.7 22.4 17.4 52.1 39.5 154.1 113.6 21.1 15.4 56.7 47.8 92.2 47.6 35.7 ...
```

```
<i class="sydney-svg-icon" ><svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 448 512" ><path d="M240.971 130.524l194.343 194.343c9.373 9.373 9.373 24.569 0 33.941l-22.667 22.667c-9.357 9.357-24.522 9.375-33.901.04L224 227.495 69.255 381.516c-9.37...
```

20	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
21	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
22	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
23	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	No	0	6	-

### Code snapshots of some failed elements

```
<div class="owl-page" ><span ></span></div>
```

```
<div class="owl-page active" ><span ></span></div>
```

```
<div class="dialog-close-button dialog-lightbox-close-button" ><i class="eicon-close"></i></div>
```

24	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	No	Fail	-	-
----	---	----	------	---	---

25	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
26	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<a class="skip-link screen-reader-text" href="#content" >Skip to content</a>
```

27	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
28	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
29	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	1	3	25%

### Code snapshots of some successful elements

```
<nav id="mainnav" class="mainnav" role="navigation"> <div class="menu-ns-top-nav
-menu-container"><ul id="menu-ns-top-nav-menu" class="menu" ><li id="menu-item-
1030" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-
has-c...
```

### Code snapshots of some failed elements

```
<ul id="menu-about" class="menu" ><li id="menu-item-938" class="menu-item menu
-item-type-post_type menu-item-object-page menu-item-938"><a href="https://www.to
getherforhumanity.org.au/about-us/" >Who we are</a></li> <li id="menu-item-939" cl
ass="menu...
```

```
<ul id="menu-programs" class="menu" ><li id="menu-item-936" class="menu-item m
enu-item-type-post_type menu-item-object-page menu-item-936"><a href="https://ww
w.togetherforhumanity.org.au/our-programs/" >Student Programs</a></li> <li id="me
nu-item-206...
```

```
<ul class="fm-bar fm-connected fm-white-icon fm-white-icon-over fm-white-label-text fm
-side-space fm-button-space fm-css-anim" style="left: 0px; top: 464px;" ><li class="fm-i
tem-1-0"><a href="https://www.facebook.com/Together-For-Humanity-33390177037...
```

---

30	<a href="#">Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".</a>	No	0	4	-
----	--	----	---	---	---

### Code snapshots of some failed elements

```
<a href="https://www.togetherforhumanity.org.au/about/" >About</a>
```

```
<a href="https://www.togetherforhumanity.org.au/our-programs/" >Programs</a>
```

```
<a href="https://www.togetherforhumanity.org.au/teachers/" >Teachers</a>
```

```
<a href="https://www.togetherforhumanity.org.au/contact/" >Contact</a>
```

---

31	<a href="#">Menu items that have a dropdown menu include an "aria-expanded"</a>	No	0	4	-
----	---	----	---	---	---

attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.

## Code snapshots of some failed elements

```
<a href="https://www.togetherforhumanity.org.au/about/" >About</a>
```

```
<a href="https://www.togetherforhumanity.org.au/our-programs/" >Programs</a>
```

```
<a href="https://www.togetherforhumanity.org.au/teachers/" >Teachers</a>
```

```
<a href="https://www.togetherforhumanity.org.au/contact/" >Contact</a>
```

32	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
33	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
34	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
35	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	6	-

### Code snapshots of some failed elements

```
<div class="owl-page active" ><span ></span></div>
```

```
<div class="owl-page" ><span ></span></div>
```

```
<div class="owl-page active" ><span ></span></div>
```

36	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	No	Fail	-	-
----	--	----	------	---	---

### Code snapshots of some failed elements

```
<h1 class="elementor-heading-title elementor-size-default">What we do</h1>
```

```
<h1 class="elementor-heading-title elementor-size-default">About Us</h1>
```

```
<h1 class="elementor-heading-title elementor-size-default">TESTIMONIALS</h1>
```

```
<h1 class="elementor-heading-title elementor-size-default">WHAT'S ON</h1>
```

```
<h1 class="elementor-heading-title elementor-size-default">Our Supporters</h1>
```

37	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	15	0	100%
----	---	-----	----	---	------

38	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or	No	0	3	-
----	---	----	---	---	---

have their tags fixed.

### Code snapshots of some failed elements

```
<p class="subtitle">Educating for interfaith and intercultural understanding</p>
```

```
<p>"Together For Humanity runs essential programs. What they do lies at the core of turning things around."</p>
```

```
<p style="text-align: center;">All our latest news, upcoming events and activities</p>
```

39	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100%
40	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	2	0	100%

### Code snapshots of some successful elements

```
<input size="1" type="text" name="form_fields[field_5e4bedb]" id="form-field-field_5e4bedb" class="elementor-field elementor-size-lg elementor-field-textual" placeholder="Enter your full name here" required="required" aria-required="true">
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-lg elementor-field-textual" placeholder="Enter your email here" required="required" aria-required="true">
```

41	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
----	--	----	---	---	---



42	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
43	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
44	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	-
45	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<form class="elementor-form" method="post" name="popup Form"> <input type="hidden" name="post_id" value="1700" > <input type="hidden" name="form_id" value="53611459" > <input type="hidden" name="queried_id" value="570" > <div cla...
```

46	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
47	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	No	0	3	-

## Code snapshots of some successful elements

```
<div class="pos"></div>
```

48	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
49	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	28	40	41%

## Code snapshots of some successful elements

```
<a href="https://www.togetherforhumanity.org.au/about/" >About</a>
```

```
<a href="https://www.togetherforhumanity.org.au/our-programs/" >Programs</a>
```

```
<a href="https://www.togetherforhumanity.org.au/teachers/" >Teachers</a>
```

```
<a href="https://www.togetherforhumanity.org.au/tfh_donate/" >Donate</a>
```

```
<a href="https://www.togetherforhumanity.org.au/contact/" >Contact</a>
```

```
<h1 class="elementor-heading-title elementor-size-default">What we do</h1>
```

```
<div class="pos">A range of programs for students that facilitate intercultural understanding through experiential and discovery learning</div>
```

```
<div class="pos">A suite of face-to-face and online courses for teachers grounded in the latest educational research on intercultural understanding</div>
```

```
<div class="pos">Online learning modules for students and teachers</div>
```

```
<b>$100</b>
```

## Code snapshots of some failed elements

```
<h2 class="maintitle">Together For Humanity</h2>
```

```
<p class="subtitle">Educating for interfaith and intercultural understanding</p>
```

```
<a href="https://app.etapestry.com/onlineforms/TogetherforHumanityFoundation/donate.html" class="roll-button button-slider" >Donate</a>
```

```
<p style="text-align: center; font-size: 22px;">We offer a range of face-to-face and online programs linked to the Australian curriculum that help foster greater connection and inclusion among students&nbsp;</p>
```

```
<div class="name">Student Programs</div>
```

```
<a href="https://www.togetherforhumanity.org.au/student-programs/" >Student Programs</a>
```

```
<div class="name">Teacher Professional Development</div>
```

```
<a href="https://www.togetherforhumanity.org.au/teacher-professional-development/" >Teacher Professional Development</a>
```

```
<div class="name">Online Learning</div>
```

```
<a href="https://www.togetherforhumanity.org.au/online-learning/" >Online Learning</a>
```